#### TITLE 329 SOLID WASTE MANAGEMENT DIVISION

## **Notice of First Public Comment Period**

LSA Document #24-213

## KAISER ALUMINUM WASTEWATER TREATMENT FACILITY

## **PURPOSE OF NOTICE**

The Indiana Department of Environmental Management (IDEM) is soliciting public comment on amending rules at 329 IAC 3.1-6-8, concerning updates to the Warrick Operations, Newburgh, Indiana wastewater treatment facility. IDEM seeks comment on the affected citations listed and any other provisions of Title 329 that may be affected by this rulemaking.

## **ADDITIONAL DOCUMENTS**

Regulatory Analysis: 20240703-IR-329240213RAA Notice of Public Hearing: 20240703-IR-329240213PHA

CITATIONS AFFECTED: 329 IAC 3.1-6-8

AUTHORITY: IC 4-22-2-13; IC 4-22-2-17; IC 4-22-2-19; IC 13-14-9-3

## **OVERVIEW**

## **Basic Purpose and Background**

Kaiser Aluminum Warrick LLC (Kaiser) has purchased the wastewater treatment operations facility at the Alcoa Corporation (Alcoa) Warrick Operations in Newburgh, Indiana. This facility generates wastewater treatment sludge, which was previously delisted under Alcoa, and Kaiser has requested that the sludge be delisted under their name.

Additionally, Kaiser intends to upgrade its wastewater treatment equipment. The incoming waste and treatment processes will not change, but an additional filter press will be installed. Installing the second filter press will result in delisted wastewater treatment sludge being generated at two locations rather than the single location in the approved delisting. Kaiser is not requesting to increase the maximum amount of sludge in the current delisting.

The proposed rule also increases the sampling requirements to reflect the new point of generation. Instead of two samples collected each quarter from one point of generation, the proposed rule requires that two samples be collected from each of the points of generation each quarter. The analysis parameters remain the same.

<u>IC 13-14-9-4</u> Identification of Restrictions and Requirements Not Imposed under Federal Law
No element of the draft rule imposes either a restriction or a requirement on persons to whom the draft rule applies that is not imposed under federal law.

## **Small Business Assistance Information**

IDEM established a compliance and technical assistance program (CTAP) under <u>IC 13-28-3</u>. The program provides assistance to small businesses and information regarding compliance with environmental regulations. In accordance with <u>IC 13-28-3</u> and <u>IC 13-28-5</u>, there is a small business assistance program ombudsman to provide a point of contact for small businesses affected by environmental regulations. Information on CTAP and other resources available can be found at www.in.gov/idem/ctap.

For purposes of <u>IC 4-22-2-28.1</u>, small businesses affected by this rulemaking may contact the Small Business Regulatory Coordinator:

Julie Rhodes

IDEM Small Business Regulatory Coordinator/CTAP Small Business Liaison

**IGCN 1316** 

100 North Senate Avenue

Indianapolis, IN 46204-2251

(317) 233-4477 or (800) 988-7901

ctap@idem.in.gov

For purposes of <u>IC 4-22-2-28.1</u>, the Small Business Ombudsman designated by <u>IC 5-28-17-6</u> is:

Matthew Jaworowski

Small Business Ombudsman

Indiana Economic Development Corporation

Date: Jul 17,2024 4:15:31PM EDT DIN: 20240703-IR-329240213FNA Page 1

One North Capitol, Suite 700 Indianapolis, IN 46204 (317) 650-0126 majaworowski@iedc.in.gov

Resources available to regulated entities through the small business ombudsman include the ombudsman's duties stated in <u>IC 5-28-17-6</u>, specifically <u>IC 5-28-17-6(9)</u>, investigating and attempting to resolve any matter regarding compliance by a small business with a law, rule, or policy administered by a state agency, either as a party to a proceeding or as a mediator.

The Small Business Assistance Program Ombudsman is:

Drake Abramson

IDEM Small Business Assistance Program Ombudsman/Business, Agricultural, and Legislative Liaison IGCN 1301

100 North Senate Avenue Indianapolis, IN 46204-2251 (317) 232-8921 or (800) 451-6027 dabramso@idem.in.gov

## REQUEST FOR PUBLIC COMMENT

IDEM is soliciting public comment on the proposed rule. Comments may be submitted in one of the following ways:

(1) By mail or common carrier to the following address:

LSA Document #24-213 Kaiser Aluminum Wastewater Treatment Facility

Keelyn Walsh

Rules Development Branch

Office of Legal Counsel

Indiana Department of Environmental Management

Indiana Government Center North

100 North Senate Avenue

Indianapolis, IN 46204-2251

(2) By electronic mail to kwalsh@idem.in.gov. To confirm timely delivery of submitted comments, please request a document receipt when sending the electronic mail. PLEASE NOTE: Electronic mail comments will not be considered part of the official written comment period unless they are sent to the address indicated in this notice.

Contact Karla Kindrick at kkindric@idem.in.gov or (317) 232-8922 if another method of submitting comments within the comment period is desired. Regardless of the delivery method used, in order to properly identify each comment with the rulemaking action it is intended to address, each comment document must clearly specify the LSA document number of the rulemaking.

#### **COMMENT PERIOD DEADLINE**

All comments must be postmarked or time stamped not later than August 2, 2024.

The rule, Regulatory Analysis, appendices referenced in the Regulatory Analysis, and materials incorporated by reference (if applicable) are on file at the Rules Development Branch, Office of Legal Counsel, Indiana Department of Environmental Management, Indiana Government Center North, 100 North Senate Avenue, Indianapolis, Indiana and are available for public inspection. Copies of the rule, Regulatory Analysis, and appendices referenced in the Regulatory Analysis are available at the IDEM Rules Development Branch office.

If IDEM does not receive substantive comments during the public comment period or public hearing, the rule may be adopted with text that is the same as or does not substantially differ from the text of the proposed rule published in this notice.

# **PROPOSED RULE**

SECTION 1. 329 IAC 3.1-6-8 IS AMENDED TO READ AS FOLLOWS:

329 IAC 3.1-6-8 Waste excluded from regulation; Kaiser Aluminum Warrick LLC, Warrick Operations, Newburgh, Indiana

Authority: IC 13-14-8; IC 13-22-2

Affected: IC 13-22

Date: Jul 17,2024 4:15:31PM EDT DIN: 20240703-IR-329240213FNA Page 2

Sec. 8. Wastewater treatment sludge, hazardous waste code F019, that is generated by Alcoa Corporation (Alcoa) Kaiser Aluminum Warrick LLC (Kaiser) at the Warrick Operations, Newburgh, Indiana is excluded from regulation under this article so long as management of the waste complies with all of the following conditions:

(1) No concentration of a constituent listed in Table 1 may exceed the delisting level for that constituent listed in Table 1. The delisting levels listed in Table 1 are the maximum concentration of that constituent measured in the extract of the wastewater treatment sludge using the extraction methods described in subdivision (2).

Table 1. Maximum Delisting Levels for Inorganic and Organic Constituents
Chemical Abstract Service Registry

Constituent	Number	Delisting Level
Antimony	7440-36-0	0.390 mg/L <sup>1</sup>
Arsenic	7440-38-2	0.360 mg/L <sup>1</sup>
Barium	7440-39-3	100 mg/L <sup>1, 3</sup>
Beryllium	7440-41-7	0.790 mg/L <sup>1</sup>
Cadmium	7440-43-9	0.280 mg/L <sup>1</sup>
Chromium (trivalent)	7440-47-3	5.0 mg/L <sup>1, 3</sup>
Chromium (hexavalent)	18540-29-9	3,800 mg/kg <sup>2</sup>
Copper	7440-50-8	17,000 mg/L <sup>1</sup>
Cobalt	7440-48-4	42.5 mg/L <sup>1</sup>
Lead	7439-92-1	5.0 mg/L <sup>1, 3</sup>
Mercury	7439-97-6	0.150 mg/L <sup>1</sup>
Nickel	7440-02-0	53.3 mg/L <sup>1</sup>
Selenium	7782-49-2	1 mg/L <sup>1, 3</sup>
Silver	7440-22-4	5 mg/L <sup>1, 3</sup>
Thallium	7440-28-0	0.16 mg/L <sup>1</sup>
Tin	7440-31-5	430 mg/L <sup>1</sup>
Vanadium	7440-62-2	40 mg/L <sup>1</sup>
Zinc	7440-66-6	530 mg/L <sup>1</sup>

<sup>&</sup>lt;sup>1</sup> mg/L means milligrams per liter.

- (2) Except as provided in clauses (C) through (F), Alcoa Kaiser shall obtain two (2) duplicate representative samples of the delisted waste from each filter press where the delisted sludge is generated each quarter and analyze them for the constituents listed in Table 1 as follows:
  - (A) Constituents must be extracted using the following:
  - (i) Method 1311, Toxicity Characteristic Leaching Procedure (TCLP)\*.
  - (ii) Method 1330A, Oily Waste Extraction Procedure\*, if oil and grease levels exceed ten thousand (10,000) milligrams per kilogram.
  - (iii) Method 3060A, Alkaline Digestion for Hexavalent Chromium\*.
  - (B) Constituents must be analyzed using the following:
  - (i) Method 6010B, Inductively Coupled Plasma-Atomic Emission Spectrometry\* or Method 6020, Inductively Coupled Plasma-Mass Spectrometry\*.
  - (ii) Method 7470A, Mercury in Liquid Waste (Manual Cold-Vapor Technique)\*.
  - (iii) Method 7196A, Hexavalent Chromium (Colorimetric)\*.
  - (C) For constituents other than hexavalent chromium, if the relative percent difference **(RPD)** between the two (2) samples is forty percent (40%) or less for the first four (4) quarters, then Alcoa Kaiser may obtain and analyze one (1) representative sample of the delisted waste each following quarter. The relative percent difference RPD is calculated for each constituent and equals one hundred (100) times the absolute value of

<sup>&</sup>lt;sup>2</sup> mg/kg means milligrams per kilogram.

<sup>&</sup>lt;sup>3</sup> The delisting level for this constituent was higher than the toxicity characteristic regulatory level in 40 CFR 261.24; therefore, the toxicity characteristic regulatory level applies.

the difference between the results divided by the average of the results, as follows:

$$RPD = 100 [(|x1 - x2|) / {(x1 + x2) / 2}]$$

where x1 equals sample results and x2 equals duplicate results.

- (D) If the level of hexavalent chromium in the sample or duplicate sample is less **than** or equal to ten and zero-tenths (10.0) milligrams per kilogram during the first four (4) quarters, then Alcoa **Kaiser** may obtain and analyze one (1) representative sample of the delisted waste for hexavalent chromium each following quarter.
- (E) If the level of hexavalent chromium in the sample or duplicate sample is greater than ten and zero-tenths (10.0) milligrams per kilogram, then Alcoa Kaiser must calculate the relative percent difference RPD as described in clause (C). If the relative percent difference between the two (2) samples is forty percent (40%) or less during the first four (4) quarters, then Alcoa Kaiser may obtain and analyze one (1) representative sample of the delisted waste for hexavalent chromium each following quarter.
- (F) If duplicate results for any constituent exceed forty percent (40%) relative percent difference, Alcoa RPD, **Kaiser** must continue to analyze duplicate samples for that constituent for an additional two (2) quarters beyond the initial four (4) quarters. If the results still exceed forty percent (40%) relative percent difference RPD after the additional two (2) quarters, Alcoa Kaiser must continue to analyze duplicate samples for that constituent until authorized by the department to analyze one (1) sample each quarter.
- (G) If any sample result shows any constituent listed in Table 1 at or above fifty percent (50%) of the delisting level for that constituent, then Alcoa **Kaiser** must analyze two (2) duplicate samples each quarter until authorized by the department to analyze one (1) sample each quarter.
- (H) Nothing in this section prohibits Alcoa **Kaiser** from requesting at any time that the solid waste management board modify this section to allow less frequent verification testing.
- (3) If waste testing or other information available to Alcoa Kaiser shows that any constituent in Table 1 has exceeded the delisting level for that constituent, or Alcoa Kaiser makes changes in the Warrick Operations that cause hazardous constituents listed in Table 1 to exceed the delisting level for that constituent, Alcoa Kaiser must do all of the following:
  - (A) Notify the department in writing within ten (10) days of after first possessing or being made aware of such the data.
  - (B) Demonstrate that the waste continues to meet all delisting levels in Table 1.
  - (C) Manage the waste as hazardous waste until Alcoa Kaiser receives written approval from the commissioner to resume managing the waste under this exclusion.
- (4) Alcoa **Kaiser** must submit an annual report that summarizes the data obtained through quarterly verification testing required by subdivision (2) to the department by February 1 of the following year. The report must include the results of each required analysis for the previous calendar year.
- (5) Alcoa **Kaiser** must compile, summarize, and maintain records of operating conditions and analytical data. The records must be:
  - (A) maintained for a minimum of at least five (5) years; and
  - (B) made available for inspection by the department during normal working hours.
- (6) All **The** data required by this section must be accompanied by a signed copy of the certification statement in 40 CFR 260.22(i)(12).
- (7) The delisted waste must be disposed of in a:
  - (A) municipal solid waste landfill permitted under 329 IAC 10; or
  - (B) hazardous waste disposal facility permitted under this article.
- (8) If at any time after disposal of the delisted waste Alcoa **Kaiser** possesses or is otherwise made aware of any data, including, but not limited to, leachate data or groundwater monitoring data, or any other data relevant to the delisted waste indicating that any constituent identified in Table 1 is at a level in the leachate that is higher than the specified delisting level, then Alcoa **Kaiser** must report such the data in writing to the department within ten (10) days of after first possessing or being made aware of that data.
- (9) Not more than five thousand two hundred fifty (5,250) short tons of delisted waste may be disposed of in any calendar year under this exclusion.

\*This document is incorporated by reference. Test methods referenced in this rule are found in U.S. EPA Publication SW-846, "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods", Third Edition, accessed at https://www.epa.gov/hw-sw846 or obtained from the National Technical Information Service.

(Solid Waste Management Division; <u>329 IAC 3.1-6-8</u>; filed Apr 1, 2008, 10:11 a.m.: <u>20080430-IR-329070552FRA</u>; errata filed May 13, 2021, 3:03 p.m.: <u>20210609-IR-329210194ACA</u>)

Posted: 07/03/2024 by Legislative Services Agency

An html version of this document.