

Document: Proposed Rule, **Register Page Number:** 28 IR 1008

Source: December 1, 2004, Indiana Register, Volume 28, Number 3

Disclaimer: This document was created from the files used to produce the official CD-ROM Indiana Register.

**TITLE 655 BOARD OF FIREFIGHTING
PERSONNEL STANDARDS AND EDUCATION**

**Proposed Rule
LSA Document #04-138**

DIGEST

Amends 655 IAC 1-1-5.1, 655 IAC 1-2.1, and 655 IAC 1-4-2 to amend general administrative rules, certification programs and certifications, update certain National Fire Protection Association Standards, amend the mandatory training program and the mandatory training requirements, and make conforming section changes. Effective 30 days after filing with the secretary of state.

655 IAC 1-1-5.1	655 IAC 1-2.1-23.1
655 IAC 1-2.1-3	655 IAC 1-2.1-24
655 IAC 1-2.1-4	655 IAC 1-2.1-24.1
655 IAC 1-2.1-5	655 IAC 1-2.1-24.2
655 IAC 1-2.1-6	655 IAC 1-2.1-24.3
655 IAC 1-2.1-6.1	655 IAC 1-2.1-75
655 IAC 1-2.1-6.2	655 IAC 1-2.1-75.2
655 IAC 1-2.1-6.3	655 IAC 1-2.1-75.3
655 IAC 1-2.1-6.4	655 IAC 1-2.1-75.4
655 IAC 1-2.1-7.1	655 IAC 1-2.1-75.5
655 IAC 1-2.1-8	655 IAC 1-2.1-76.1
655 IAC 1-2.1-9	655 IAC 1-2.1-76.2
655 IAC 1-2.1-10	655 IAC 1-2.1-76.3
655 IAC 1-2.1-11	655 IAC 1-2.1-96
655 IAC 1-2.1-12	655 IAC 1-2.1-97
655 IAC 1-2.1-13	655 IAC 1-2.1-98
655 IAC 1-2.1-14	655 IAC 1-2.1-99
655 IAC 1-2.1-15	655 IAC 1-2.1-100
655 IAC 1-2.1-20	655 IAC 1-2.1-101
655 IAC 1-2.1-22	655 IAC 1-2.1-102
655 IAC 1-2.1-23	655 IAC 1-2.1-103
655 IAC 1-2.1-104	655 IAC 1-2.1-108
655 IAC 1-2.1-105	655 IAC 1-2.1-109
655 IAC 1-2.1-106	655 IAC 1-2.1-110
655 IAC 1-2.1-107	655 IAC 1-4-2

SECTION 1. 655 IAC 1-1-5.1, AS AMENDED AT 27 IR 4010, SECTION 1, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-1-5.1 Certifications under this rule; requirements

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 5.1. (a) Any Indiana fire service person may enter the voluntary certification program by submitting an application and verification by competency based testing for the certification sought. Applications shall be:

- (1) legibly signed by the authorized instructor who has taken responsibility for the verified competencies; ~~Applications shall be~~
- (2) legibly completed in full; ~~Applications shall be and~~
- (3) provided by the board upon request.

(b) Any Indiana nonfire service person may enter the voluntary certification program by submitting an application and verification by competency based testing for the certification sought. Applications shall be:

- (1) legibly signed by the authorized instructor who has taken responsibility for the verified competencies; Applications shall be
- (2) legibly completed in full; Applications shall be and
- (3) provided by the board upon request.

(c) Certifications are available for the following:

(1) Fire service person as follows:

Certification	Requirements
Basic Firefighter	655 IAC 1-2.1-2 and 655 IAC 1-2.1-3
Firefighter I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-4
Firefighter II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-5
Driver/Operator-Pumper	655 IAC 1-2.1-2 and 655 IAC 1-2.1-6
Driver/Operator-Aerial	655 IAC 1-2.1-2 and 655 IAC 1-2.1-6.1
Driver/Operator-Wildland Fire Apparatus	655 IAC 1-2.1-2 and 655 IAC 1-2.1-6.2
Driver/Operator-Aircraft Crash and Rescue	655 IAC 1-2.1-2 and 655 IAC 1-2.1-6.3
Driver/Operator-Mobile Water Supply	655 IAC 1-2.1-2 and 655 IAC 1-2.1-6.4
Airport Firefighter-Aircraft Crash and Rescue	655 IAC 1-2.1-2 and 655 IAC 1-2.1-7
Fire Officer-Strategy and Tactics	655 IAC 1-2.1-2 and 655 IAC 1-2.1-7.1
Fire Officer I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-8
Fire Officer II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-9
Fire Officer III	655 IAC 1-2.1-2 and 655 IAC 1-2.1-10
Fire Officer IV	655 IAC 1-2.1-2 and 655 IAC 1-2.1-11
Public Fire and Life Safety Educator I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-16
Public Fire and Life Safety Educator II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-17
Public Fire and Life Safety Educator III	655 IAC 1-2.1-2 and 655 IAC 1-2.1-18
Safety Officer	655 IAC 1-2.1-2 and 655 IAC 1-2.1-22
Firefighter-Wildland Fire Suppression I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-23
Firefighter-Wildland Fire Suppression II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-23.1
Emergency Vehicle Technician I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-25 through 655 IAC 1-2.1-35
Emergency Vehicle Technician II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-36 through 655 IAC 1-2.1-60
Fire Service Engineering Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-61 through 655 IAC 1-2.1-64
Motor Sports Emergency Responder	655 IAC 1-2.1-2 and 655 IAC 1-2.1-65 through 655 IAC 1-2.1-74
Rescue Technician Rope Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-75
Rope Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-96
Rope Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-97
Rescue Technician-Surface Water Rescue	655 IAC 1-2.1-2 and 655 IAC 1-2.1-75.1
Rescue Technician Vehicle and Machinery Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-75.2
Vehicle and Machinery Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-98
Vehicle and Machinery Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-99
Rescue Technician Confined Space Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-75.3
Confined Space Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-100
Confined Space Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-101
Rescue Technician Structural Collapse Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-75.4
Structural Collapse Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-102
Structural Collapse Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-103
Rescue Technician Trench Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-75.5
Trench Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-104

Trench Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-105
Swift Water Rescuer Technician Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-76.1 through 655 IAC 1-2.1-76.3
Swift Water Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-106
Swift Water Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-107
Wilderness Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-108
Wilderness Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-109
Wilderness Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-110
Land-Based Firefighter-Marine Vessel Fires	655 IAC 1-2.1-2 and 655 IAC 1-2.1-88(a)
Fire Medic I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-89
Fire Medic II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-90
Fire Medic III	655 IAC 1-2.1-2 and 655 IAC 1-2.1-91
Fire Medic IV	655 IAC 1-2.1-2 and 655 IAC 1-2.1-92
Public Information Officer	655 IAC 1-2.1-2 and 655 IAC 1-2.1-93
Juvenile Firesetter Intervention Specialist I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-94
Juvenile Firesetter Intervention Specialist II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-95
(2) Fire department instructors as follows:	
Certification	Requirements
Instructor I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-19
Instructor II/III	655 IAC 1-2.1-2 and 655 IAC 1-2.1-20
Instructor-Swift Water Rescue	655 IAC 1-2.1-2 and 655 IAC 1-2.1-19.1
(3) Firefighting training and education programs as follows:	
Certification	Requirements
Basic Firefighter	655 IAC 1-2.1-3
Firefighter I	655 IAC 1-2.1-4(a)
Firefighter II	655 IAC 1-2.1-5(a)
Driver/Operator-Pumper	655 IAC 1-2.1-6(a)
Driver/Operator-Aerial	655 IAC 1-2.1-6.1(a)
Driver/Operator-Wildland Fire Apparatus	655 IAC 1-2.1-6.2(a)
Driver/Operator-Aircraft Crash and Rescue	655 IAC 1-2.1-6.3(a)
Driver/Operator-Mobile Water Supply	655 IAC 1-2.1-6.4(a)
Fire Officer-Strategy and Tactics	655 IAC 1-2.1-7.1(a)
Airport Firefighter-Aircraft Crash and Rescue	655 IAC 1-2.1-7(a)
Fire Officer I	655 IAC 1-2.1-8(a)
Fire Officer II	655 IAC 1-2.1-9(a)
Fire Officer III	655 IAC 1-2.1-10(a)
Fire Officer IV	655 IAC 1-2.1-11(a)
Fire Inspector I	655 IAC 1-2.1-12(a)
Fire Inspector II	655 IAC 1-2.1-13(a)
Fire Inspector III	655 IAC 1-2.1-14(a)
Fire Investigator I	655 IAC 1-2.1-15(a)
Public Fire and Life Safety Educator I	655 IAC 1-2.1-16(a)
Public Fire and Life Safety Educator II	655 IAC 1-2.1-17(a)
Public Fire and Life Safety Educator III	655 IAC 1-2.1-18(a)
Safety Officer	655 IAC 1-2.1-22(a)
Firefighter-Wildland Fire Suppression I	655 IAC 1-2.1-23(a)
Firefighter-Wildland Fire Suppression II	655 IAC 1-2.1-23.1(a)
Hazardous Materials First Responder-Awareness	655 IAC 1-2.1-24
Hazardous Materials First Responder-Operations	655 IAC 1-2.1-24.1
Hazardous Materials Technician	655 IAC 1-2.1-24.2
Hazardous Materials-Incident Command	655 IAC 1-2.1-24.3
Emergency Vehicle Technician I	655 IAC 1-2.1-25 through 655 IAC 1-2.1-35
Emergency Vehicle Technician II	655 IAC 1-2.1-36 through 655 IAC 1-2.1-60
Fire Service Engineering Technician	655 IAC 1-2.1-61 through 655 IAC 1-2.1-64

Motor Sports Emergency Responder	655 IAC 1-2.1-65 through 655 IAC 1-2.1-74
Rescue Technician Rope Rescue Rescuer-Awareness	655 IAC 1-2.1-75 655 IAC 1-2.1-75(a)
Rope Rescuer-Operations	655 IAC 1-2.1-96(a)
Rope Rescuer-Technician	655 IAC 1-2.1-97(a)
Rescue Technician-Surface Water Rescue	655 IAC 1-2.1-75.1
Rescue Technician Vehicle and Machinery Rescue Rescuer-Awareness	655 IAC 1-2.1-75.2 655 IAC 1-2.1-75.2(a)
Vehicle and Machinery Rescuer-Operations	655 IAC 1-2.1-98(a)
Vehicle and Machinery Rescuer-Technician	655 IAC 1-2.1-99(a)
Rescue Technician Confined Space Rescue Rescuer-Awareness	655 IAC 1-2.1-75.3 655 IAC 1-2.1-75.3(a)
Confined Space Rescuer-Operations	655 IAC 1-2.1-100(a)
Confined Space Rescuer-Technician	655 IAC 1-2.1-101(a)
Rescue Technician Structural Collapse Rescue Rescuer-Awareness	655 IAC 1-2.1-75.4 655 IAC 1-2.1-75.4(a)
Structural Collapse Rescuer-Operations	655 IAC 1-2.1-102(a)
Structural Collapse Rescuer-Technician	655 IAC 1-2.1-103(a)
Rescue Technician Trench Rescue Rescuer-Awareness	655 IAC 1-2.1-75.5 655 IAC 1-2.1-75.5(a)
Trench Rescuer-Operations	655 IAC 1-2.1-104(a)
Trench Rescuer-Technician	655 IAC 1-2.1-105(a)
Swift Water Rescue Technician Rescuer-Awareness	655 IAC 1-2.1-76.1 through 655 IAC 1-2.1-76.3 655 IAC 1-2.1-76.1(a)
Swift Water Rescuer-Operations	655 IAC 1-2.1-106(a)
Swift Water Rescuer-Technician	655 IAC 1-2.1-107(a)
Wilderness Rescuer-Awareness	655 IAC 1-2.1-108(a)
Wilderness Rescuer-Operations	655 IAC 1-2.1-109(a)
Wilderness Rescuer-Technician	655 IAC 1-2.1-110(a)
Land-Based Firefighter-Marine Vessel Fires	655 IAC 1-2.1-88(a)
Fire Medic I	655 IAC 1-2.1-89
Fire Medic II	655 IAC 1-2.1-90
Fire Medic III	655 IAC 1-2.1-91
Fire Medic IV	655 IAC 1-2.1-92
Public Information Officer	655 IAC 1-2.1-93
Juvenile Firesetter Intervention Specialist I	655 IAC 1-2.1-94
Juvenile Firesetter Intervention Specialist II	655 IAC 1-2.1-95
Instructor I	655 IAC 1-2.1-19(a)
Instructor II/III	655 IAC 1-2.1-20(a)
Instructor-Swift Water Rescue	655 IAC 1-2.1-19.1
(4) Nonfire service person as follows:	
Certification	Requirements
Fire Inspector I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-12
Fire Inspector II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-13
Fire Inspector III	655 IAC 1-2.1-2 and 655 IAC 1-2.1-14
Fire Investigator I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-15
Hazardous Materials First Responder-Awareness	655 IAC 1-2.1-24 and 655 IAC 1-2.1-2
Hazardous Materials First Responder-Operations	655 IAC 1-2.1-24.1 and 655 IAC 1-2.1-2
Hazardous Materials-Technician	655 IAC 1-2.1-24.2 and 655 IAC 1-2.1-2
Hazardous Materials-Incident Command	655 IAC 1-2.1-24.3 and 655 IAC 1-2.1-2
Public Fire and Life Safety Educator I	655 IAC 1-2.1-2 and 655 IAC 1-2.1-16
Public Fire and Life Safety Educator II	655 IAC 1-2.1-2 and 655 IAC 1-2.1-17
Public Fire and Life Safety Educator III	655 IAC 1-2.1-2 and 655 IAC 1-2.1-18
Swift Water Rescue Technician Rescuer-Awareness	655 IAC 1-2.1-2 and 655 IAC 1-2.1-76.1 through 655 IAC 1-2.1-76.3
Swift Water Rescuer-Operations	655 IAC 1-2.1-2 and 655 IAC 1-2.1-106
Swift Water Rescuer-Technician	655 IAC 1-2.1-2 and 655 IAC 1-2.1-107

Public Information Officer 655 IAC 1-2.1-2 and 655 IAC 1-2.1-93
Juvenile Firesetter Intervention Specialist I 655 IAC 1-2.1-2 and 655 IAC 1-2.1-94
Juvenile Firesetter Intervention Specialist II 655 IAC 1-2.1-2 and 655 IAC 1-2.1-95
(Board of Firefighting Personnel Standards and Education; 655 IAC 1-1-5.1; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3384; filed Sep 24, 1999, 10:02 a.m.: 23 IR 326; readopted filed Aug 27, 2001, 10:55 a.m.: 25 IR 203; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1157; errata, 26 IR 383; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4010)

SECTION 2. 655 IAC 1-2.1-3, AS AMENDED AT 27 IR 4013, SECTION 3, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-3 Basic Firefighter requirements

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 3. (a) This section comprises the minimum requirements for certification as a Basic Firefighter.

(b) The candidate shall have successfully completed the requirements of 655 IAC 1-4-2 and the following:

(1) NFPA 472, Standard on Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4-Competencies for the First Responder at the Awareness Level and Chapter 5-Competencies for the First Responder at the Operational Level, 2002 Edition, published by the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269.

(2) NFPA 1001, Standard for Firefighter Professional Qualifications, Section 2-3, 1997 Edition, published by the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269.

(3) Training in records needed in the following:

(A) In the fire service, including the following:

(i) Hose tests.

(ii) Ladder tests.

(iii) Equipment maintenance.

(iv) Such others as are used in the authority having jurisdiction.

(B) In Indiana, laws affecting the following:

(i) Fire service inspections.

(ii) Investigations.

(iii) Fire suppression.

(iv) Driving.

(v) Such others as are in effect in the authority having jurisdiction.

(4) Training course mandated in IC 36-8-10.5-7(b).

(5) NFPA 1001, Standard for Firefighter Professional Qualifications, Sections ~~4-1.1.1~~ **5-1.1.1** and ~~4-1.1.2~~, **1997 5-1.1.2, 2002** Edition, published by the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269.

(c) To the extent that Sections ~~3-1.1~~ **5-1.1** and ~~4-1.1~~ **5-1.1** of NFPA 1001 require compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~2~~ **4**. (Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-3; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3390; filed Sep 24, 1999, 10:02 a.m.: 23 IR 330; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4013)

SECTION 3. 655 IAC 1-2.1-4 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-4 Firefighter I

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 4. (a) The minimum training standards for Firefighter I certification shall be as set out in that certain document, being titled as NFPA 1001, Standard for Firefighter Professional Qualifications, Chapter ~~3~~ **5**-Firefighter I, ~~1997~~ **2002** Edition, published by the National Fire Protection Association (NFPA), Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~3~~ **5** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~5~~ **4**.

(b) The candidate shall be certified as a Basic Firefighter. (Board of Firefighting Personnel Standards and Education; 655 IAC

1-2.1-4; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3391; filed Sep 24, 1999, 10:02 a.m.: 23 IR 330; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262)

SECTION 4. 655 IAC 1-2.1-5 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-5 Firefighter II

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 5. (a) The minimum training standards for Firefighter II certification shall be as set out in that certain document, being titled as NFPA 1001, Standard for Firefighter Professional Qualifications, Chapter ~~4~~ **6**-Firefighter II, ~~1997~~ **2002** Edition, published by the National Fire Protection Association (NFPA), Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~4~~ **6** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~5~~: **2**.

(b) The candidate shall be certified as a Firefighter I or Second Class Firefighter. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-5; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3391; filed Sep 24, 1999, 10:02 a.m.: 23 IR 330; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 5. 655 IAC 1-2.1-6 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-6 Driver/Operator-Pumper

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 6. (a) The minimum training standards for Driver/Operator-Pumper certification shall be as set out in that certain document, being titled as NFPA 1002, Standard for Fire Apparatus Driver/Operator Professional Qualifications, Chapters ~~2~~ **4** and ~~3~~; ~~1998~~ **5**, **2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapters ~~2~~ **4** and ~~3~~ **5** require compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~9~~: **2**.

(b) The candidate shall:

(1) have been certified as at least a Firefighter I or ~~Second~~ **First** Class Firefighter; ~~for a period of at least one (1) year prior to the date of application; and~~

~~(e) The candidate shall~~ **(2)** hold an appropriate valid driver's license.

(*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-6; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3391; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1161; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 6. 655 IAC 1-2.1-6.1, AS AMENDED AT 27 IR 4014, SECTION 4, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-6.1 Driver/Operator-Aerial

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 6.1. (a) The minimum training standards for Driver/Operator-Aerial certification shall be as set out in that certain document, being titled as NFPA 1002, Standard for Fire Apparatus Driver/Operator Professional Qualifications, ~~Section 1-3.4;~~ Chapters ~~2~~ **4** and ~~4~~; ~~1998~~ **6**, **2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapters ~~2~~ **4** and ~~4~~ **6** require compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~9~~: **2**.

(b) The candidate shall:

(1) have been certified as at least a Firefighter I or ~~Second~~ **First** Class Firefighter; ~~for a period of at least one (1) year prior to the date of application; and~~

~~(e) The candidate shall~~ **(2)** hold an appropriate valid driver's license.

~~(d) The candidate shall have been certified as a Driver/Operator-Pumper, if the applicant is a member of a fire department that has a pumper on its aerial apparatus: (Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-6.1; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1161; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4014)~~

SECTION 7. 655 IAC 1-2.1-6.2, AS AMENDED AT 27 IR 4014, SECTION 5, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-6.2 Driver/Operator-Wildland Fire Apparatus

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 6.2. (a) The minimum training standards for Driver/Operator-Wildland Fire Apparatus certification shall be as set out in that certain document, being titled as NFPA 1002, Standard for Fire Apparatus Driver/Operator Professional Qualifications, ~~Section 1-3.4, Chapters 2 and 6;~~ **1998 8, 2003 Edition**, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that ~~Chapters 2 and 6~~ **8** require compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~9:~~ **2.**

(b) The candidate shall:

~~(1) have been certified as at least a Firefighter I or Second First Class Firefighter; for a period of at least one (1) year prior to the date of application: and~~

~~(c) The candidate shall (2) hold an appropriate valid driver's license.~~

~~(d) The candidate shall have been certified as a Driver/Operator-Pumper. (Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-6.2; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1161; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4014)~~

SECTION 8. 655 IAC 1-2.1-6.3, AS AMENDED AT 27 IR 4014, SECTION 6, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-6.3 Driver/Operator-Aircraft Crash and Rescue

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 6.3. (a) The minimum training standards for Driver/Operator-Aircraft Crash and Rescue certification shall be as set out in that certain document, being titled as NFPA 1002, Standard for Fire Apparatus Driver/Operator Professional Qualifications, ~~Section 1-3.4, Chapters 2 and 7;~~ **1998 Chapter 9, 2003 Edition**, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that ~~Chapters 2 and 7~~ **require Chapter 9** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~9:~~ **2.**

(b) The candidate shall:

~~(1) have been certified as at least a Firefighter I or Second First Class Firefighter; for a period of at least one (1) year prior to the date of application: and~~

~~(c) The candidate shall (2) hold an appropriate valid driver's license.~~

~~(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-6.3; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1161; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4014)~~

SECTION 9. 655 IAC 1-2.1-6.4, AS AMENDED AT 27 IR 4014, SECTION 7, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-6.4 Driver/Operator-Mobile Water Supply

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 6.4. (a) The minimum training standards for Driver/Operator-Mobile Water Supply certification shall be as set out in that certain document, being titled as NFPA 1002, Standard for Fire Apparatus Driver/Operator Professional Qualifications, ~~Section 1-3.4, Chapters 2 and 8;~~ **1998 Chapter 10, 2003 Edition**, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that ~~Chapters 2 and 8~~ **require Chapter 10** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~9:~~ **2.**

(b) The candidate shall:

(1) have been certified as at least a Firefighter I or ~~Second First Class Firefighter~~; for a period of at least one (1) year prior to the date of application: ~~and~~

(c) ~~The candidate shall~~ (2) hold an appropriate valid driver's license.

(d) ~~The candidate shall have been certified as a Driver/Operator-Pumper, if the applicant is a member of a fire department that has a pumper on its mobile water supply apparatus. (Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-6.4; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1162; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4014)~~

SECTION 10. 655 IAC 1-2.1-7.1 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-7.1 Fire Officer-Strategy and Tactics

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 7.1. (a) The minimum training standards for Fire Officer-Strategy and Tactics certification shall be as set out in this section.

(b) The candidate shall accomplish the follow objectives:

(1) List the eight (8) components of leadership and explain the importance of transition to a company officer.

(2) Explain the key safety behaviors that impact safe tactical operations.

(3) Identify the fire officer's responsibility for an organized approach to emergency incident management.

(4) Establish priorities for personal values and describe the relationship of those personal values to incident management and firefighter safety.

(5) Describe the five (5) elements of department readiness and explain the importance of each element.

(6) List four (4) benefits of effective incident communications and explain the importance of each.

(7) List the six (6) steps identified in the Communications Model and explain the importance of each step.

(8) List the five (5) classifications of building construction and explain the characteristics of each.

(9) Identify the strengths and weaknesses for each building construction classification.

(10) List and explain the critical fire behavior factors that relate to tactical operations for an assigned fire scenario.

(11) Properly calculate the required fire flow for fire suppression for structures using the National Fire Academy Fire Flow Formula.

(12) Given the required fire flow for a structure, estimate the fire personnel required for offensive operations.

(13) Given an appropriate scenario, properly complete a National Fire Academy Quick Access Pre-fire Plan.

(14) Explain why it is important to follow a logical thought process for decision making and action planning.

(15) Identify the three (3) parts of the Command Sequence.

(16) Identify the outcomes that result from each of the three (3) steps of the Command Sequence.

(17) Identify the three (3) incident priorities and the order in which they shall be accomplished.

(18) Describe the three (3) phases of size-up and their relationship to problem identification.

(19) Describe the factors that affect size-up.

(20) Given a simulated structural fire incident, demonstrate the ability to conduct an effective size-up, identify the problems presented, and communicate critical information as part of a concise size-up report.

(21) Given a structural fire scenario, demonstrate the ability to develop a strategy using the command sequence.

(22) Using the command sequence, demonstrate the ability to select tactics that will achieve a well-defined strategy.

(23) Identify three (3) methods of implementing an action plan.

(24) Demonstrate the ability to use effective communications to assign tactical objectives.

(25) Given a scenario with identified strategies and tactics, determine the acceptable assignments to implement the action plan.

(26) Explain why the use of a management system is necessary emergency incidents and demonstrate how the Incident Command System (ICS) can be applied as an effective emergency management system.

(27) Define the five (5) ICS functions, command staff positions, and staging.

(28) Define the role of the Incident Commander (IC) and the importance of the first on-scene fire department officer as the initial IC.

(29) Given a scenario, establish an effective ICS organization to manage the initial phase of the incident.

- (30) Explain the purpose and use of the Communications Model and the National Fire Academy Quick Access Pre-fire Plan in tactical operations at fire incidents.
- (31) Define the relationship among incident priorities, strategy, tactics, and implementation in the command sequence.
- (32) Select an appropriate strategy mode, based upon consideration of risk versus benefit and available resources.
- (33) Describe the six (6) steps required to implement the Tactical Action Model.
- (34) List the factors upon which apparatus placement is based.
- (35) Select the appropriate ventilation tactics based upon identified ventilation principles and tactical considerations.
- (36) Develop a ventilation action plan based upon the tactics selected.
- (37) Select appropriate rescue tactics based upon identified rescue principles and tactical considerations.
- (38) Develop a ventilation action plan based upon the tactics selected.
- (39) Select and deploy the appropriate hose lines to accomplish fire confinement and extinguishment.
- (40) Identify and explain the actions required to support fire confinement and extinguishment activities.
- (41) Explain the correct procedures and select the appropriate size hose lines for attaching to a fire department connection.
- (42) Describe the procedures for deployment of a hose line from a standpipe system.
- (43) Identify the principles of water supply and tactics for establishing water supplies using municipal sources, static sources, and portable sources.
- (44) Identify tactical size-up considerations for providing water supplies to meet needed fire flows and specified fire incidents.
- (45) Identify the principles and tactics for protecting exposed property and areas near the fire from becoming involved.
- (46) Identify tactical size-up considerations for providing exposure control at specified fire incidents.
- (47) Identify the principles and tactics to achieve salvage.
- (48) Identify the principles and tactics to achieve overhaul.
- (49) Identify and explain the activities required to support incident operations.
- (50) Identify the special construction factors affecting single-family dwellings.
- (51) Identify the primary concerns to be addressed when single-family dwellings are involved in a fire.
- (52) Demonstrate the use of the Communications Model while performing the role of a firefighter, fire department officer, or dispatcher.
- (53) Demonstrate the Command Sequence in a decision making scenario.
- (54) Determine strategy, select tactics, and operate within an appropriate IC organization in a given scenario.
- (55) Demonstrate effective use of the Tactical Action Model and make appropriate risk versus benefit decisions in a given scenario.

(c) For purposes of this section, the following definitions apply:

- (1) “Command sequence” means a three (3) step process as follows:
 - (A) Size-up, an ongoing process of gathering and analyzing information critical to incident factors that lead to problem identification.
 - (B) Strategy and tactics.
 - (C) Implementation.
- (2) “Communications model” means a six (6) step process as follows:

STEP ONE: The sender formulates an idea that he or she wants to convey to another person.

STEP TWO: The sender sends the message.

STEP THREE: Transfer the message through the medium.

STEP FOUR: The receiver receives the message.

STEP FIVE: The receiver interprets the message.

STEP SIX: The receiver confirms that the message has been received and understood by providing feedback.
- (3) “Fire flow formula” means the formula developed by the National Fire Academy that provides a method for determining the amount of water required, apparatus needed to deliver the water, and the number of fire companies that should be used to apply the water at an incident.
- (4) “Incident command system” means the combination of facilities, equipment, personnel, procedures, and communications operating within a common organizational structure with responsibility for the management of assigned resources to effectively accomplish stated objectives pertaining to an incident.
- (5) “Incident commander” means the individual responsible for the management of all incident operations.
- (6) “National Fire Academy” means the facility operated by the United States Fire Administration under the Federal Emergency Management Agency of the United States Department of Homeland Security.
- (7) “Quick access prefire planning” means a process that creates necessary information concerning a structure prior to

a fire incident. The process includes obtaining information about the structure including, without limitation:

- (A) building description;
- (B) occupancy type;
- (C) hazard to personnel;
- (D) water supply;
- (E) estimated fire flow;
- (F) fire behavior predictions;
- (G) predicted strategies;
- (H) problems anticipated; and
- (I) fixed fire protection/detection systems.

(8) "Tactical Action Model" means a six (6) step process as follows:

STEP ONE: Receive a tactical or task order.

STEP TWO: Conduct a tactical size-up.

STEP THREE: Assign tasks.

STEP FOUR: Take action to complete tactical assignment.

STEP FIVE: Evaluate effectiveness of tactical operations

STEP SIX: Report to supervisor on the effectiveness of the tactical operations.

(9) "Tactical size-up" means:

- (A) evaluation of safety considerations;
- (B) construction and occupancy of the structure;
- (C) area of involvement;
- (D) probable fire spread;
- (E) identification of problems;
- (F) establishment of priorities; and
- (G) evaluation of resources.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-7.1)

SECTION 11. 655 IAC 1-2.1-8 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-8 Fire Officer I

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 8. (a) The minimum training standards for Fire Officer I certification shall be as set out in that certain document, being titled as NFPA 1021, Standard for Fire Officer Professional Qualifications, Chapter ~~2~~, **1997 4, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~2~~ **4** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~6~~: **2**.

(b) The candidate shall have been certified as:

- (1) at least a Firefighter II or First Class Firefighter for a period of at least one (1) year prior to the date of application;
- (2) a **Fire Officer-Strategy and Tactics**; and
- (3) an **Instructor I**.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-8; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3392; filed Sep 24, 1999, 10:02 a.m.: 23 IR 331; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262)

SECTION 12. 655 IAC 1-2.1-9 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-9 Fire Officer II

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 9. (a) The minimum training standards for Fire Officer II certification shall be as set out in that certain document, being titled as NFPA 1021, Standard for Fire Officer Professional Qualifications, Chapter ~~3~~, **1997 5, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in

this rule. To the extent that Chapter ~~3~~ **5** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~6~~ **2**.

(b) The candidate shall be certified as a Fire Officer I. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-9; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3392; filed Sep 24, 1999, 10:02 a.m.: 23 IR 331; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 13. 655 IAC 1-2.1-10 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-10 Fire Officer III

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 10. (a) The minimum training standards for Fire Officer III certification shall be as set out in that certain document, being titled as NFPA 1021, Standard for Fire Officer Professional Qualifications, Chapter ~~4~~, **1997 6, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~4~~ **6** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~6~~ **2**.

(b) The candidate shall be certified as a Fire Officer II. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-10; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3392; filed Sep 24, 1999, 10:02 a.m.: 23 IR 331; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 14. 655 IAC 1-2.1-11 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-11 Fire Officer IV

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 11. (a) The minimum training standards for Fire Officer IV certification shall be as set out in that certain document, being titled as NFPA 1021, Standard for Fire Officer Professional Qualifications, Chapter ~~5~~, **1997 7, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~5~~ **7** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~6~~ **2**.

(b) The candidate shall be certified as a Fire Officer III. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-11; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3392; filed Sep 24, 1999, 10:02 a.m.: 23 IR 331; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 15. 655 IAC 1-2.1-12, AS AMENDED AT 27 IR 4015, SECTION 8, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-12 Fire Inspector I

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 12. The minimum training standards for Fire Inspector I certification shall be as set out in that certain document, being titled as NFPA 1031, Standard for Professional Qualifications for Fire Inspector and Plan Examiner, Chapter ~~3~~, **1998 4, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~3~~ **4** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~8~~ **2**. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-12; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3392; filed Sep 24, 1999, 10:02 a.m.: 23 IR 331; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4015*)

SECTION 16. 655 IAC 1-2.1-13 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-13 Fire Inspector II

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 13. (a) The minimum training standards for Fire Inspector II certification shall be as set out in that certain document, being titled as NFPA 1031, Standard for Professional Qualifications for Fire Inspector and Plan Examiner, Chapter ~~4~~, **1998 5, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~4~~ **5** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~8~~: **2**.

(b) The candidate shall be certified as a Fire Inspector I. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-13; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3393; filed Sep 24, 1999, 10:02 a.m.: 23 IR 331; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 17. 655 IAC 1-2.1-14, AS AMENDED AT 27 IR 4015, SECTION 9, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-14 Fire Inspector III

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 14. The minimum training standards for Fire Inspector III certification shall be as set out in that certain document, being titled as NFPA 1031, Standard for Professional Qualifications for Fire Inspector and Plan Examiner, Chapter ~~5~~, **1998 6, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~5~~ **6** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~8~~: **2**. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-14; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3393; filed Sep 24, 1999, 10:02 a.m.: 23 IR 332; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4015*)

SECTION 18. 655 IAC 1-2.1-15, AS AMENDED AT 27 IR 4015, SECTION 10, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-15 Fire Investigator I

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 15. The minimum training standards for Fire Investigator I certification shall be as set out in that certain document, being titled as NFPA 1033, Standard for Professional Qualifications for Fire Investigator, Chapter ~~3~~, **1998 4, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter ~~3~~ **4** requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~4~~: **2**. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-15; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3393; filed Sep 24, 1999, 10:02 a.m.: 23 IR 332; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4015*)

SECTION 19. 655 IAC 1-2.1-20, AS AMENDED AT 27 IR 4016, SECTION 13, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-20 Instructor II/III

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 20. (a) The minimum training standards for Instructor II/III certification shall be as set out in that certain document, being titled as NFPA 1041, Standard for Fire Service Instructor Professional Qualifications, Chapters 5 and 6, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule.

(b) The candidate shall:

(1) either be certified as:

- (A) an Instructor I; or
 - (B) a First Class Instructor; and
- (2) have taught, documented, and reported to the board thirty (30) hours of instruction.

(c) To maintain certification, the candidate shall accrue a minimum of thirty (30) hours of teaching or attendance at classes in training in adult education, for example:

- (1) learning objectives;
- (2) test construction; or
- (3) classroom teaching;

that shall be reported every three (3) years. ~~Such~~ The report shall be received by the board not later than thirty (30) days after the expiration of the three (3) year period that commenced on the date of initial certification, or the applicable three (3) year anniversary of ~~such the~~ the date.

(d) The training in adult education referred in subsection (c) shall be acquired through classes that teach instructors techniques on teaching adult students. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-20; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3394; filed Sep 24, 1999, 10:02 a.m.: 23 IR 332; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4016*)

SECTION 20. 655 IAC 1-2.1-22 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-22 Safety Officer

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 22. (a) The minimum training standards for Safety Officer certification shall be as set out in that certain document, being titled as NFPA 1521, Standard for **Fire Department** Safety Officer Professional Qualifications, ~~Chapters 2 and 3, 1997 Chapter 6, 2002~~ Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that ~~Chapters 2 and 3 require Chapter 6~~ **Chapter 6 requires** compliance with another NFPA standard, such standard shall be that which is referred to in Chapter ~~5: 2~~.

(b) The candidate shall be certified as a Fire Officer I. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-22; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3394; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1163; errata filed Jan 8, 2002, 1:55 p.m.: 25 IR 1645; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 21. 655 IAC 1-2.1-23, AS AMENDED AT 27 IR 4016, SECTION 14, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-23 Firefighter-Wildland Fire Suppression I

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 23. (a) The minimum training standards for Firefighter-Wildland Fire Suppression I certification shall be as set out in that certain document, being titled as NFPA 1051, Standard for Wildland Firefighter Professional Qualifications, ~~Chapters 4 and 5, 2002~~ Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapters 4 and 5 require compliance with another NFPA standard, such standard shall be that which is referred to in ~~Chapter~~ **Chapters 1 and 2**.

(b) The candidate shall be certified as a Basic Firefighter. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-23; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3395; errata filed Oct 3, 1996, 3:00 p.m.: 20 IR 332; filed Sep 24, 1999, 10:02 a.m.: 23 IR 333; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4016*)

SECTION 22. 655 IAC 1-2.1-23.1, AS AMENDED AT 27 IR 4017, SECTION 15, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-23.1 Firefighter-Wildland Fire Suppression II

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 23.1. (a) The minimum training standards for Firefighter-Wildland Fire Suppression II certification shall be as set out in that certain document, being titled as NFPA 1051, Standard for Wildland Firefighter Professional Qualifications, Chapter 6, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter 6 requires compliance with another NFPA standard, such standard shall be that which is referred to in ~~Chapter~~ **Chapters 1 and 2**.

(b) The candidate shall be certified as a Firefighter-Wildland Fire Suppression I. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-23.1; filed Sep 24, 1999, 10:02 a.m.: 23 IR 333; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4017*)

SECTION 23. 655 IAC 1-2.1-24, AS AMENDED AT 27 IR 4017, SECTION 16, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-24 Hazardous Materials First Responder-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 24. The minimum training standards for Hazardous Materials First Responder-Awareness certification shall be as set out in that certain document, being titled as NFPA 472, Standard ~~on~~ **for** Professional Competence of Responders to Hazardous Materials Incidents Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter 4 requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter 2. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-24; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3395; filed Sep 24, 1999, 10:02 a.m.: 23 IR 333; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4017*)

SECTION 24. 655 IAC 1-2.1-24.1, AS AMENDED AT 27 IR 4017, SECTION 17, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-24.1 Hazardous Materials First Responder-Operations

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 24.1. (a) The minimum training standards for Hazardous Materials First Responder-Operations certification shall be as set out in that certain document, being titled as NFPA 472, Standard ~~on~~ **for** Professional Competence of Responders to Hazardous Materials Incidents, Chapter 5, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter 5 requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter 2.

(b) **The candidate shall have been certified as a Hazardous Materials First Responder-Awareness.** (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-24.1; filed Sep 24, 1999, 10:02 a.m.: 23 IR 334; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4017*)

SECTION 25. 655 IAC 1-2.1-24.2, AS AMENDED AT 27 IR 4017, SECTION 18, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-24.2 Hazardous Materials-Technician

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 24.2. (a) The minimum training standards for Hazardous Materials-Technician certification shall be as set out in that certain document, being titled as NFPA 472, Standard ~~on~~ **for** Professional Competence of Responders to Hazardous Materials Incidents, Chapter 6, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter 6 requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter 2.

(b) **The candidate shall have been certified as a Hazardous Materials First Responder-Operations.** (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-24.2; filed Sep 24, 1999, 10:02 a.m.: 23 IR 334; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4017*)

SECTION 26. 655 IAC 1-2.1-24.3, AS ADDED AT 27 IR 4018, SECTION 19, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-24.3 Hazardous Materials-Incident Command

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 24.3. (a) The minimum training standards for Hazardous Materials-Incident Command certification shall be as set out in that certain document, being titled as NFPA 472, Standard ~~on~~ **for** Professional Competence of Responders to Hazardous Materials Incidents, Chapter 7, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. To the extent that Chapter 7 requires compliance with another NFPA standard, such standard shall be that which is referred to in Chapter 2.

(b) The candidate shall have been certified as a Hazardous Materials First Responder-Awareness and Hazardous Materials First Responder-Operations. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-24.3; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4018*)

SECTION 27. 655 IAC 1-2.1-75 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-75 Rope Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 75. (a) The minimum training standards for ~~Rescue Technician~~ **Rope Rescuer-Awareness** certification shall be as set out in ~~that those~~ certain ~~document, documents,~~ **documents**, being titled as **follows:**

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapters ~~2 4~~ and ~~4 2000~~ **5, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. ~~To the extent that Chapters 2 and 4 require compliance with another NFPA standard, such standard shall be that which is referred to in Appendix E: NFPA 1500, NFPA 1521, and NFPA 1561 are:~~

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(b) The candidate shall have been certified as at least a Firefighter II or First Class Firefighter for one (1) year. (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-75; filed Jul 18, 1996, 3:00 p.m.: 19 IR 3403; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1163; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 28. 655 IAC 1-2.1-75.2 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-75.2 Vehicle and Machinery Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 75.2. (a) The minimum training standards for ~~Rescue Technician~~ **Vehicle and Machinery Rescuer Awareness** certification shall be as set out in ~~that those~~ certain ~~document, documents,~~ **documents**, being titled as **follows:**

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, ~~Chapters 2 and 6 2000~~ **Chapter 8, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. ~~To the extent that Chapters 2 and 6 requires compliance with another NFPA standard, such standard shall be that which is referred to in Appendix E: NFPA 1500, NFPA 1521, and NFPA 1561 are:~~

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2 and Section 6-2, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(b) The candidate shall have been certified as ~~at least a Firefighter II or a Hazardous Materials First Class Firefighter for one~~ ~~(+) year.~~ **Responder-Awareness.** (*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-75.2; filed Jul 18, 1996, 3:00 p.m.:19 IR 3403; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1164; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 29. 655 IAC 1-2.1-75.3 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-75.3 Confined Space Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 75.3. (a) The minimum training standards for ~~Rescue Technician~~ Confined Space ~~Rescue~~ **Rescuer-Awareness** certification shall be as set out in ~~that those certain document, documents,~~ being titled as **follows:**

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, ~~Chapters 2 and 7, 2000~~ **Chapter 9, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. ~~To the extent that Chapters 2 and 7 require compliance with another NFPA standard, such standard shall be that which is referred to in Appendix E.~~

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-2 and Section 5-2, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(b) The candidate shall have been certified as:

(1) at least a Firefighter II or First Class Firefighter for one (1) year;

(2) **a Rope Rescuer-Awareness; and**

(3) **Hazardous Materials First Responder-Awareness.**

(*Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-75.3; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1164; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262*)

SECTION 30. 655 IAC 1-2.1-75.4 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-75.4 Structural Collapse Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 75.4. (a) The minimum training standards for ~~Rescue Technician~~ Structural Collapse ~~Rescue~~ **Rescuer-Awareness** certification shall be as set out in ~~that those certain document, documents,~~ being titled as **follows**:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, ~~Chapters 2 and 8~~ **2000 Chapter 10, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. ~~To the extent that Chapters 2 and 8 require compliance with another NFPA standard, such standard shall be that which is referred to in Appendix E.~~

(2) NFPA 1670, **Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 3-2, and Section 5-2, 1999 Edition**, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) at least a Firefighter II or First Class Firefighter for one (1) year;
- (2) a **Rope Rescuer-Awareness**;
- (3) a **Hazardous Materials First Responder-Awareness**; and
- (4) a **Confined Space Rescuer-Awareness**.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-75.4; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1164; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262)

SECTION 31. 655 IAC 1-2.1-75.5 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-75.5 Trench Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 75.5. (a) The minimum training standards for ~~Rescue Technician~~ Trench ~~Rescue~~ **Rescuer-Awareness** certification shall be as set out in ~~that those certain document, documents,~~ being titled as **follows**:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, ~~Chapters 2 and 9~~ **2000 Chapter 11, 2003** Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. ~~To the extent that Chapters 2 and 9 require compliance with another NFPA standard, such standard shall be that which is referred to in Appendix E.~~

(2) NFPA 1670, **Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 5-2 and Section 9-2, 1999 Edition**, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(3) NFPA 472, **Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition**, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) at least a Firefighter II or First Class Firefighter for one (1) year;
- (2) a **Confined Space Rescuer-Awareness**;
- (3) a **Rope Rescuer-Awareness**; and
- (4) a **Hazardous Materials First Responder-Awareness**.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-75.5; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1164; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262)

SECTION 32. 655 IAC 1-2.1-76.1 IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-2.1-76.1 Swift Water Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 76.1. (a) The minimum training standards for Swift Water ~~Rescue Technician~~ **Rescuer-Awareness** certification shall be as set out in this section and sections 76.2 and 76.3 of this rule: that certain document, being titled as NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Section 7-2, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (1) not adopted;
- (2) not enforceable; and
- (3) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) at least a Firefighter II or First Class Firefighter for one (1) year; and
- (2) a Rope Rescuer-Awareness.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-76.1; filed Nov 16, 2001, 4:37 p.m.: 25 IR 1164; readopted filed Dec 2, 2002, 12:59 p.m.: 26 IR 1262)

SECTION 33. 655 IAC 1-2.1-96 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-96 Rope Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 96. (a) The minimum training standards for Rope Rescuer-Operations certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapters 4, 5, and 6, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-2 and Section 4-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder; and
- (2) a Rope Rescuer-Awareness.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-96)

SECTION 34. 655 IAC 1-2.1-97 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-97 Rope Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 97. (a) The minimum training standards for Rope Rescuer-Technician certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapters 4, 5, and 6, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-2, Section 4-3, and Section 4-4, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder;
- (2) a Rope Rescuer-Awareness; and
- (3) a Rope Rescuer-Operations.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-97)

SECTION 35. 655 IAC 1-2.1-98 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-98 Vehicle and Machinery Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 98. (a) The minimum training standards for Vehicle and Machinery Rescuer-Operations certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 8, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 6-2 and Section 6-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 5, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) a Hazardous Materials First Responder-Awareness;
- (2) a Hazardous Materials First Responder-Operations;
- (3) an Indiana First Responder;
- (4) having complied with the training course mandated in IC 36-8-10.5-7(b); and
- (5) a Vehicle and Machinery Rescuer-Awareness.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-98)

SECTION 36. 655 IAC 1-2.1-99 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-99 Vehicle and Machinery Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 99. (a) The minimum training standards for Vehicle and Machinery Rescuer-Technician certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 8, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 6-2, Section 6-3, and Section 6-4, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapters 4 and 5, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(b) The candidate shall have been certified as:

(1) a Hazardous Materials First Responder-Awareness;

(2) a Hazardous Materials First Responder-Operations;

(3) an Indiana First Responder;

(4) having complied with the training course mandated in IC 36-8-10.5-7(b);

(5) a Vehicle and Machinery Rescuer-Awareness; and

(6) a Vehicle and Machinery Rescuer-Operations.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-99)

SECTION 37. 655 IAC 1-2.1-100 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-100 Confined Space Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 100. (a) The minimum training standards for Confined Space Rescuer-Operations certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 9, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-2, Section 5-2, and Section 5-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;**
- (B) not enforceable; and**
- (C) referenced for information purposes only.**

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder;**
- (2) a Rope Rescuer-Awareness;**
- (3) a Rope Rescuer-Operations;**
- (4) a Hazardous Materials First Responder-Awareness;**
- (5) a Hazardous Materials First Responder-Operations;**
- (6) a Vehicle and Machinery Rescuer-Awareness;**
- (7) a Vehicle and Machinery Rescuer-Operations;**
- (8) a Confined Space Rescuer-Awareness; and**
- (9) having complied with the training course mandated in IC 36-8-10.5-7(b).**

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-100)

SECTION 38. 655 IAC 1-2.1-101 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-101 Confined Space Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 101. (a) The minimum training standards for Confined Space Rescuer-Technician certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 9, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-2, Section 5-2, Section 5-3, and Section 5-4, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;**
- (B) not enforceable; and**
- (C) referenced for information purposes only.**

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;**
- (B) not enforceable; and**
- (C) referenced for information purposes only.**

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder;**
- (2) a Rope Rescuer-Awareness;**
- (3) a Rope Rescuer-Operations;**
- (4) a Rope Rescuer-Technician;**
- (5) a Hazardous Materials First Responder-Awareness;**
- (6) a Hazardous Materials First Responder-Operations;**
- (7) a Vehicle and Machinery Rescuer-Awareness;**
- (8) a Vehicle and Machinery Rescuer-Operations;**
- (9) a Confined Space Rescuer-Awareness;**
- (10) a Confined Space Rescuer-Operations; and**

(11) having complied with the training course mandated in IC 36-8-10.5-7(b).
(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-101)

SECTION 39. 655 IAC 1-2.1-102 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-102 Structural Collapse Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 102. (a) The minimum training standards for Structural Collapse Rescuer-Operations certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 10, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 3-2, Section 3-3, Section 4-3, Section 6-3, and Section 9-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, NFPA 1561, and referenced U.S. Federal Emergency Management Agency regulations are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(b) The candidate shall have been certified as:

(1) an Indiana First Responder;

(2) a Rope Rescuer-Awareness;

(3) a Rope Rescuer-Operations;

(4) a Hazardous Materials First Responder-Awareness;

(5) a Hazardous Materials First Responder-Operations;

(6) a Vehicle and Machinery Rescuer-Awareness;

(7) a Vehicle and Machinery Rescuer-Operations;

(8) a Confined Space Rescuer-Awareness;

(9) a Confined Space Rescuer-Operations;

(10) a Trench Rescuer-Awareness;

(11) a Trench Rescuer-Operations;

(12) a Swift Water Rescuer-Awareness; and

(13) having complied with the training course mandated in IC 36-8-10.5-7(b).

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-102)

SECTION 40. 655 IAC 1-2.1-103 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-103 Structural Collapse Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 103. (a) The minimum training standards for Structural Collapse Rescuer-Technician certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 10, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 3-2, Section 3-3, Section 4-3, Section 4-4, Section 5-4, Section 6-4, and Section 9-4, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

(A) not adopted;

(B) not enforceable; and

(C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder;
- (2) a Rope Rescuer-Awareness;
- (3) a Rope Rescuer-Operations;
- (4) a Rope Rescuer-Technician;
- (5) a Hazardous Materials First Responder-Awareness;
- (6) a Hazardous Materials First Responder-Operations;
- (7) a Vehicle and Machinery Rescuer-Awareness;
- (8) a Vehicle and Machinery Rescuer-Operations;
- (9) a Vehicle and Machinery Rescuer-Technician;
- (10) a Confined Space Rescuer-Awareness;
- (11) a Confined Space Rescuer-Operations;
- (12) a Confined Space Rescuer-Technician;
- (13) a Trench Rescuer-Awareness;
- (14) a Trench Rescuer-Operations;
- (15) a Trench Rescuer-Technician;
- (16) a Swift Water Rescuer-Awareness; and
- (17) having complied with the training course mandated in IC 36-8-10.5-7(b).

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-103)

SECTION 41. 655 IAC 1-2.1-104 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-104 Trench Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 104. (a) The minimum training standards for Trench Rescuer-Operations certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 11, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-3, Section 5-3, Section 6-3, Section 9-2, and Section 9-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) a Confined Space Rescuer-Awareness;
- (2) a Confined Space Rescuer-Operations;
- (3) a Rope Rescuer-Awareness;
- (4) a Rope Rescuer-Operations;

- (5) a Vehicle and Machinery Rescuer-Awareness;
- (6) a Vehicle and Machinery Rescuer-Operations;
- (7) a Hazardous Materials First Responder-Awareness;
- (8) a Hazardous Materials First Responder-Operations;
- (9) a Trench Rescuer-Awareness;
- (10) having complied with the training course mandated in IC 36-8-10.5-7(b); and
- (11) an Indiana First Responder.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-104)

SECTION 42. 655 IAC 1-2.1-105 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-105 Trench Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 36-8-10.5-7

Sec. 105. (a) The minimum training standards for Trench Rescuer-Technician certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 11, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 4-3, Section 5-3, Section 6-3, Section 9-2, Section 9-3, and Section 9-4, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(3) NFPA 472, Standard for Professional Competence of Responders to Hazardous Materials Incidents, Chapter 4, 2002 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) a Confined Space Rescuer-Awareness;
- (2) a Confined Space Rescuer-Operations;
- (3) a Confined Space Rescuer-Technician;
- (4) a Rope Rescuer-Awareness;
- (5) a Rope Rescuer-Operations;
- (6) a Rope Rescuer-Technician;
- (7) a Vehicle and Machinery Rescuer-Awareness;
- (8) a Vehicle and Machinery Rescuer-Operations;
- (9) a Vehicle and Machinery Rescuer-Technician;
- (10) a Hazardous Materials First Responder-Awareness;
- (11) a Hazardous Materials First Responder-Operations;
- (12) a Trench Rescuer-Awareness;
- (13) a Trench Rescuer-Operations;
- (14) having complied with the training course mandated in IC 36-8-10.5-7(b); and
- (15) an Indiana First Responder.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-105)

SECTION 43. 655 IAC 1-2.1-106 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-106 Swift Water Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 106. (a) The minimum training standards for Swift Water Rescuer-Operations certification shall be as set out in that certain document, being titled as NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Section 4-3, Section 7-2, Section 7-3.1, Section 7-3.2, Section 7-3.3, Section 7-3.4, Section 7-3.5, and Section 7-3.9, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (1) not adopted;
- (2) not enforceable; and
- (3) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) a Rope Rescuer-Awareness;
- (2) a Rope Rescuer-Operations;
- (3) a Hazardous Materials First Responder-Awareness;
- (4) a Swift Water Rescuer-Awareness; and
- (5) an Indiana First Responder.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-106)

SECTION 44. 655 IAC 1-2.1-107 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-107 Swift Water Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 107. (a) The minimum training standards for Swift Water Rescuer-Technician certification shall be as set out in that certain document, being titled as NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Section 7-3.1, Section 7-3.2, Section 7-3.3, Section 7-3.4, Section 7-3.5, and Section 7-4.10, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (1) not adopted;
- (2) not enforceable; and
- (3) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) a Rope Rescuer-Awareness;
- (2) a Rope Rescuer-Operations;
- (3) a Hazardous Materials First Responder-Awareness;
- (4) a Swift Water Rescuer-Awareness;
- (5) a Swift Water Rescuer-Operations; and
- (6) an Indiana First Responder.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-107)

SECTION 45. 655 IAC 1-2.1-108 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-108 Wilderness Rescuer-Awareness

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 108. (a) The minimum training standards for Wilderness Rescuer-Awareness certification shall be as set out in those certain documents, being titled as follows:

- (1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 14, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, and Section 8-2, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) at least a Firefighter II or First Class Firefighter for one (1) year; and
- (2) a Rope Rescuer-Awareness.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-108)

SECTION 46. 655 IAC 1-2.1-109 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-109 Wilderness Rescuer-Operations

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 109. (a) The minimum training standards for Wilderness Rescuer-Operations certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 1, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 8-3, and Section 4-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder;
- (2) a Rope Rescuer-Awareness;
- (3) a Rope Rescuer-Operations;
- (4) a Hazardous Materials First Responder-Awareness; and
- (5) a Wilderness Rescuer-Awareness.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-109)

SECTION 47. 655 IAC 1-2.1-110 IS ADDED TO READ AS FOLLOWS:

655 IAC 1-2.1-110 Wilderness Rescuer-Technician

Authority: IC 22-14-2-7

Affected: IC 22-14-2-7

Sec. 110. (a) The minimum training standards for Wilderness Rescuer-Technician certification shall be as set out in those certain documents, being titled as follows:

(1) NFPA 1006, Standard for Standard for Rescue Technician Professional Qualifications, Chapter 14, 2003 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(2) NFPA 1670, Standard on Operations and Training for Technical Rescue Incidents, Chapter 2, Section 3-2, Section 4-4, Section 7-2, Section 8-2, and Section 8-3, 1999 Edition, published by NFPA, Batterymarch Park, Quincy, Massachusetts 02269, which is hereby adopted by reference and made a part of this rule as if fully set out in this rule. NFPA 1500, NFPA 1521, and NFPA 1561 are:

- (A) not adopted;
- (B) not enforceable; and
- (C) referenced for information purposes only.

(b) The candidate shall have been certified as:

- (1) an Indiana First Responder;
- (2) a Rope Rescuer-Awareness;
- (3) a Rope Rescuer-Operations;
- (4) a Rope Rescuer-Technician;
- (5) a Hazardous Materials First Responder-Awareness;
- (6) a Swift Water Rescuer-Awareness;
- (7) a Wilderness Rescuer-Awareness; and
- (8) a Wilderness Rescuer-Operations.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-2.1-110)

SECTION 48. 655 IAC 1-4-2, AS AMENDED AT 27 IR 4019, SECTION 27, IS AMENDED TO READ AS FOLLOWS:

655 IAC 1-4-2 General requirements for firefighter mandatory training

Authority: IC 36-8-10.5-7

Affected: IC 36-8-10.5

Sec. 2. (a) These requirements are intended only to familiarize the recruit firefighter with introductory personal safety and safe evolutions **prior to before** engaging in emergency firefighter activities. These requirements are not intended to replace the board's requirements for firefighter voluntary certification program **and as follows:**

- (1) The intent of this document is to provide rules for the minimum mandatory personal safety training of those individuals entering or reentering the fire service.
- (2) It is not required for the objectives to be mastered in the order that they appear.
- (3) The local fire department, instructor, or fire chief shall establish the instructional priority of the mandatory training.
- (4) This is intended to be a minimum training program. Expanded scope and creativity of local training programs is encouraged.

(b) Minimum components are as follows:

- (1) Orientation. Includes **the following:**
 - (A) Communication procedures.
 - (B) How alarms are received.
 - (C) Who, what, when, and where of local fire department.
- (2) Personal safety. Includes **the following:**
 - (A) Reason for protective clothing usage, for example:
 - (i) helmet;
 - (ii) coat;
 - (iii) boots; and
 - (iv) gloves.
 - (B) Safe handling of tools.
- (3) Forcible entry. Includes **the following:**
 - (A) Safely finding hidden fires.
 - (B) Safely entering structure or building when it is locked.
 - (C) Nomenclature of tools.
- (4) Ventilation. Includes **the following:**
 - (A) Safe letting of hot gases and smoke escape.

- (B) Safe procedures.
- (C) Where to properly ventilate.
- (5) Apparatus. Includes **the following:**
 - (A) Safely mounting and dismounting from apparatus.
 - (B) Riding on apparatus.
 - (C) Safe driving of apparatus.
 - (D) Basic traffic and firefighting liability laws.
- (6) Ladders. Includes **the following:**
 - (A) Safe setting positions for ground ladders.
 - (B) Safe climbing and getting off of ladders.
 - (C) Feeling for weakened floors on second floor or higher before getting off ladder.
 - (D) Different types of ladders used in fire service.
- (7) Self-contained breathing apparatus. Includes **the following:**
 - (A) Critical needs for wearing self-contained breathing apparatus.
 - (B) Safe practices in its use.
 - (C) Nomenclatures of self-contained breathing apparatus.
 - (D) Safely donning and doffing of self-contained breathing apparatus.
- (8) Hose loads. Includes **the following:**
 - (A) How to properly load hose.
 - (B) Different types of hose loads.
 - (C) Safely removing different hose loads.
 - (D) Accessing water sources by drafting or hydrants.
- (9) Streams. Includes **the following:**
 - (A) Safe fire stream velocity and gallons per minute.
 - (B) Properly opening and closing of nozzles.
- (10) Basic recognition of special hazards. Includes **the following:**
 - (A) Recognition of special hazards.
 - (B) DOT hazardous materials placarding recognition.
 - (C) Structural hazards indicating imminent collapse or cave-in.
 - (D) Recognition of suspicious fires.
 - (E) Dangers of backdraft and flashover.
 - (F) Overhead electrical wires.
 - (G) Special safety procedures.

(11) Defensive driving.

(Board of Firefighting Personnel Standards and Education; 655 IAC 1-4-2; filed Mar 7, 1988, 12:55 p.m.: 11 IR 2629; readopted filed Aug 27, 2001, 10:55 a.m.: 25 IR 203; errata, 26 IR 383; filed Jul 14, 2004, 10:00 a.m.: 27 IR 4019)

SECTION 49. THE FOLLOWING ARE REPEALED: 655 IAC 1-2.1-76.2; 655 IAC 1-2.1-76.3.

Notice of Public Hearing

Under IC 4-22-2-24, notice is hereby given that on January 10, 2005 at 10:00 a.m., at the Indianapolis Metropolitan Professional Firefighters Union, 748 Massachusetts Avenue, Indianapolis, Indiana the Board of Firefighting Personnel Standards and Education will hold a public hearing on proposed amendments concerning general administrative rules, certification programs and certifications, the updating of certain National Fire Protection Association standards, amending the mandatory training program and the mandatory training requirements, and to make conforming section changes. Copies of these rules are now on file at the Indiana Government Center-South, 402 West Washington Street, Room E241 and Legislative Services Agency, One North Capitol, Suite 325, Indianapolis, Indiana and are open for public inspection.

Ivan Nevil
 State Fire Marshal
 Board of Firefighting Personnel Standards and Education