

**Document:** Errata, **Register Page Number:** 28 IR 2137

**Source:** April 1, 2005, Indiana Register, Volume 28, Number 7

**Disclaimer:** This document was created from the files used to produce the official CD-ROM Indiana Register.

## TITLE 326 AIR POLLUTION CONTROL BOARD

### LSA Document #04-43(AC)

Under IC 4-22-2-38, corrects the following typographical, clerical, or spelling errors in LSA Document #04-43(F), printed at 28 IR 2037:

(1) In 326 IAC 6-1-12(a), on page 1 of the original document (28 IR 2037), insert the following after the Central Soya row that reads as follows, "0008, 09C, Elevator Grain Dryer Conveying Legs, 1.01, .006":

	0008	10A	Elevator #1 Truck & Rail Receiving System and Basement	7.23		.006
	0008	10B	Elevator #2 Truck & Rail Receiving System	4.95		.006
Cent. St. Hospital	0009	01	Boilers 7 & 8	22.0	.350	
	0009	02	Boiler 3	17.0	.350	
Chevrolet	0010	0103	Boilers 1-3	65.8	.300	
Chrys. (El.) Shade	0011	01	All Boilers	67.8	.324	
Chrys. (Fdy.) S. Tibbs	0012	01	Cup.-Scrub	34.2		.085
	0012	02	D. Cl. Ck. 4 St.	4.9		.038
	0012	07	Hz. C. Ov. B. Ck.	4.2		.008
	0012	08	Hz. C. Ov. A. Ck.	3.1		.006
	0012	09	Hz. C. Ov. A. By	6.2		.029
	0012	10	Hz. C. Pst. Cr.	less than 1 T/yr		.001
	0012	11	Hz. C. Ov. B. Ry.	.4		.005
	0012	12	Hz. Rv. Ov. Jkt.	less than 1 T/yr		.001
	0012	13	Hz. Ry. Ov. A. CCC	less than 1 T/yr		.002
	0012	14	Bg. Ex. Rb. 1 St.	2.6		.020
	0012	16	Hyd. Fdy. Gre.	1.2		.004
	0012	18	Ck. Unload.	5.9		.021
	0012	19	Flsk. Sk.-Out	50.8		.030
	0012	22	Snd. Trnsfr.	2.6		.019
	0012	25	Cr. Grinding	.01		.001
	0012	26	Cr. Grinding	1.6		.007
	0012	28	Cl. Op. Cr. K. O.	8.2		.034
	0012	29	Cl. Room	6.8		.020
	0012	30	Cl. Room	4.2		.020
	0012	31	Chp. Op.	16.7		.020
	0012	34	Cst. Cl.	57.5		.020
Community Hospital	0014	01	Keller Boiler	.5	.014	
Design Mix	0091	01	Roty. Dry.	9.8		.092
Allison Transmission	0017	01-05	Boilers 1, 2, 3, 4, 5	39.3 combined	.15 each	
Rolls-Royce Corporation	0311	01	Boilers 0070-01 through 0070-04		.337	
	0311	02	Boilers 0070-58 and 0070-59	130.0/yr	.15	

Illinois Cereal Mills, Incorporated	0311	03	Boilers 0070-62 through 0070-65	}		.15
	0020	01	Cleaver Brooks Boiler		1.0	.014
	0020	02	Old Mill—Dust		4.3	.030
	0020	05	Old Mill—Dust		4.3	.030
	0020	06	Warehouse—Dust		5.8	.030
	0020	07	New Mill Dryers		3.0	.030

(2) In 326 IAC 6-1-12(a), on page 2 of the original document (28 IR 2039), insert the following after the IPL (Perry K) row that reads as follows, “0034, 02, Boiler 13 (natural gas, coke oven gas), \*.082”:

IPL (Stout)	0034	02	Boiler 14 (natural gas, coke oven gas)	}		*.082
	0034	03	Boiler 15 (coal)		484.4	*.106
	0034	03	Boiler 16 (coal)			*.106
	0034	03	Boiler 17 (oil)			*.015
	0034	03	Boiler 18 (oil)			*.015
	0033	09	Boiler 9		1.9	*.015
	0033	10	Boiler 10		2.2	*.015
	0033	11	Boiler 50		82.2	*.135
	0033	12	Boiler 60		82.2	*.135
	0033	13	Boiler 70		830.7	*.1
	0033	14	Gas Turbine 1		.28	*.015
	0033	15	Gas Turbine 2		.28	*.015
	0033	16	Gas Turbine 3		.28	*.015
Nat'l. R.R. (Amtrak)	0646	01	Boiler 1		23.0	.350
	0646	02	Boiler 2		23.0	.350
National Starch	0042	06	61-9		4.1	.016
	0042	11	56-2		11.3	0.010
	0042	12	71-2		2.6	.030
	0042	13	61-6		.1	.030
	0042	22	56-1		7.02	0.020
	0042	29	40-4		44.1	0.020
	0042	30	40-3		42.3	0.020
	0042	31	40-2		31.9	0.020
	0042	43A	42-1		.9	.030
	0042	46	61-14A		.6	.029
	0042	47	61-14		1.2	.028
	0042	55	42-8		4.2	.030
	0042	56A	42-7A		1.7	.032
	0042	56B	42-7B		1.7	.032
	0042	56C	42-7C		1.7	.032
	0042	57A	42-3A		1.8	.032
	0042	57B	42-3B		1.8	.032
	0042	57C	42-3C		1.8	.032
	0042	57D	42-3D		1.8	.032
	0042	57E	42-3E		1.8	.032
	0042	57F	42-3F		1.8	.032
	0042	59	42-4		2.3	.029

0042	60	42-10	2.4	.030
0042	63	42-6	2.5	.030
0042	64	71-1	.9	.030
0042	67A	71-5A	.3	.026
0042	67B	71-5B	.3	.026
0042	67C	71-5C	.3	.026
0042	67D	71-5D	.3	.026
0042	67E	71-5E	.3	.026
0042	67F	71-5F	.3	.026
0042	67G	71-5G	.3	.026

(3) In 326 IAC 6-1-12(a), on page 3 of the original document (28 IR 2041), insert the following after the St. Vincent's Hospital row that reads as follows, "0476, 0103, Boiler 1-3, .7, .011":

Sludge Incinerator	0032	01	Incinerator #5	17.9	.030
	0032	02	Incinerator #6	17.9	.030
	0032	03	Incinerator #7	17.9	.030
	0032	04	Incinerator #8	17.9	.030
	0032	05	Incinerators #1-4	72.5	.030
Stokely Van Camp	0056	0103	Boiler	93.3	.350
Praxair	0060	01	3 Boilers	35.5	.350

\*Compliance shall be determined using 40 CFR 60, Appendix A, Method 5\*\*.

(b) Sources shall be considered in compliance with the tons per year emission limits established in subsection (a) if within five percent (5%) of the emission limit.

(c) Processes 40-4, 40-3, 40-2, 575-1, **and** 575-2 and Boiler 4 at National Starch, identified in subsection (a) as one hundred percent (100%) natural gas burners, shall burn only natural gas.

**(d) In addition to complying with subsections (a) and (b), Reilly Industries shall comply with the following:**

**(1) Processes ~~186 N~~, 2607 T, 702611, 722804, 2713 W, and 2714 W** at Reilly Industries, identified in subsection (a) as one hundred percent (100%) natural gas burners, shall burn only natural gas.

**(2) Maintain monthly fuel usage records for processes 186 N, 2722 W, and 2726 S that contain sufficient information to estimate emissions including:**

**(A) boiler identification;**

**(B) fuel usage for each type of fuel;**

**(C) heat content of fuel; and**

**(D) emission factor used to calculate emissions.**

**(3) Within thirty (30) days of the end of each calendar quarter, a written report shall be submitted to the department and the Indianapolis office of environmental services division of the monthly emissions for each of the previous twelve (12) months for boilers 186 N, 2722 W, and 2726 S, including the information in subdivision (2).**

**(4) Compliance with the annual tons per year limitation shall be based on the sum of the monthly emissions for each twelve (12) month period.**

**(5) The fuel usage records shall be maintained at the source for three (3) years and available for an additional two (2) years. The records shall be made available to the department or its designated representative upon request.**

(e) In addition to complying with subsections (a) through (b), Navistar International Transportation Corporation shall comply with the following:

(1) The height of each of the two (2) stacks on the M-3 baghouse (Point ID 07) shall be increased by fifty (50) feet by August 31, 1990.

(2) Within thirty (30) days of the effective date of this rule, Navistar shall submit to the department the following:

(A) A certification as to the complete and permanent shutdown of the sources identified as Point ID 8, 9, and 10 of subsection (a) and No. 2 Large Mold Line, M-2 Mold Line, M-4 Mold Line, and the core-making and core-knockout operations for these mold lines.

- (B) A written list of sources not identified in subsection (a) with a potential to emit ten (10) or greater tons per year.
- (3) Within thirty (30) days of the end of each calendar quarter, a written report shall be submitted to the department of the monthly emissions from each emission point identified in subsection (a) ~~which that~~ contains information necessary to estimate emissions including:
- (A) for boilers:
    - (i) fuel type;
    - (ii) usage;
    - (iii) ash content; and

*Filed with Secretary of State: March 1, 2005, 11:00 a.m.*

*Under IC 4-22-2-38(g)(2), this correction takes effect 45 days from the date and time filed with the Secretary of State.*

*NOTE: This change was incorporated into the printed version of LSA Document #04-43(F) and may be found at 28 IR 2037, as corrected.*